EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4362	(oil lubricant) with (sens$4 measur$3 detect$3) with propert$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:06
L2	188	1 and filter with sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:08
L3	427	((oil lubricant) near filter) with sensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:57
L4	2	((oil lubricant) near filter) with (sensor near port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:57
L5	476	((oil lubricant) near filter) with (sensor sensing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:58
L6	655	((oil lubricant) near filter) with (sensor sensing measur$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:58
L7	801	((oil lubricant) near filter) with (sensor sensing measur$4 detect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 09:59
L8	13	7 and (insert$4 with sensor with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 10:03
L9	12	7 and (filter with dipstick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 10:06
L10	2	7 and (filter with (sensor near port))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 10:07

L11	0	7 and (filter with (sealed near port))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 10:09
L12	15	7 and filter with probe	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 11:02
L13	11	("2544269" | "4142973").PN. OR ("4372848").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/07 11:17
L14	8	7 and filter with (remov$3 near3 sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:27
L15	18810	((oil lubricant) near filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:30
L16	23	15 and (insert$4 with (probe sensor) with filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:31
L17	4	((oil lubricant) near filter) with septum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:36
L18	2	((oil lubricant) near filter) and (housing with septum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:37
L19	1382	((oil lubricant) near filter) and (housing with port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:39
L20	177	((oil lubricant) near filter).ti. and (housing with (plug port))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:39
L21	5194	((oil lubricant) near filter).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 12:57
L22	3517	((73/53.05,53.06,53.07) or (210/85,92,93,94,95)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/01/07 13:04

L23	2969	(210/85,92,93,94,95).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/01/07 13:04
L24	212	23 and (probe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 13:04
L25	27	23 and (insert$3 with probe)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 13:04
L26	4005	((73/53.05,53.06,53.07,54.01) or (210/85,92,93,94,95)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2009/01/07 13:14
L27	162	26 and ((oil lubricant) near filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 13:14
L28	33	27 and ((filter housing) with sensor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2009/01/07 13:15

1/7/09 1:16:34 PM
C:\Documents and Settings\drogers\My Documents\EAST\Workspaces\10\5\10576886.wsp